



Solvent-402

White Spirit

Row	Properties	Unit	Limit	Test Method
1	Density @ 15 °C	Kg/m ³	775 min	ASTM D 1298
2	Distillation:			ASTM D 86
3	I.B.P	°C	142-158	ASTM D 86
4	10% Evaporated @	°C	158 min	ASTM D 86
5	50% Evaporated @	°C	179 max	ASTM D 86
6	90% Evaporated @	°C	194 max	ASTM D 86
7	Dry Point	°C	198 max	ASTM D 86
8	Residue	Vol%	1.5 max	
9	Color Saybolt	-	25 min	ASTM D 155
10	Odour	-	Merchantable	-
11	Flash Point tag	°C	38 min	D 56
12	Corrosion-3hrs @ 100°C	-	1a	ASTM D 130
13	Sulphur Total	Wt%	0.1 max	ASTM D 1265
14	Doctor Test	-	Negative	ASTM D 4952
15	Aromatic Content	Vol%	20 max	ASTM D 1319
16	Gum Existent	Mg/100ml	5 max	ASTM D 381
17	Neurality	-	Pass	BS.245
18	Acidity of Residue	-	Pass	ASTM D 1093