



Solvent-406

Row	Properties	Unit	Limit	Test Method
1	Density @ 15 °C	Kg/m ³	Report	ASTM D 1298
2	Distillation:			ASTM D 86
3	I.B.P	°C	62 min	ASTM D 86
4	50% Recovered @	°C	63-71	ASTM D 86
5	90% Recovered @	°C	64-74	ASTM D 86
6	Dry Point	°C	80 max	ASTM D 86
7	Recovery	-	98 min	ASTM D 86
8	Loss	°C	1 max	ASTM D 86
9	Color Saybolt	Wt%	25 min	ASTM D 156
10	Odour	-	Merchantable	-
11	Corrosion-3hrs @ 50 °C	°C	1a	ASTM D 130
12	Sulphur Total	Wt%	0.05 max	ASTM D 1266
13	Doctor Test	-	Negative	ASTM D 4952
14	Aromatic Content	Vol%	7 max	ASTM D 1319